


## Designed for single panel installations

www.pizazzsystems.com

## Installing A Parts on a wall

- Use your panel as the template to position panels on walls and align the hole centres.
- Ensure that the fixings you use to secure A Parts are suited to the type of wall they are being attached to e.g. when securing to wood use 8 gauge counter sunk head wood screws. When securing to plaster board, concrete, block etc. obtain wall anchors specifically designed for use with the wall material from your hardware store or specialist supplier.
- Ensure that your A Parts are secured strongly enough to hold the entire loading on the A+E Parts as well as the extra•spacers, D Parts if they are used.






Designed for single panel installations

www.pizazzsystems.com

## Installing A Parts back to back




Bolt Dimensions			Recommended Fastening System			T	
Button Head Bolt Thread Diameter	Thread Length	Overall Length	4				The intellectual property in this drawing is the property of Pizazz Group Limited, Auckland, New Zealand.
M4	7mm	10mm					Copyright © Pizazz Group Limited 2021.
.156"	.281"	.375″	M4 Bolt	M4 x Ø11	M4 x Ø8	M4	Unauthorised use prohibited.
Add panel thickness to bolt lengths above				Washer	Lock Washer	Hex Nut	enautrerised dee prometted.



Designed for single panel installations

www.pizazzsystems.com

## Installing an A Part on a panel



Bolt Dimensions			Recommended Fastening System		
Button Head Bolt Thread Diameter	Thread Length	Overa <b>ll</b> Length			The intellectual property in this drawing is the property of Pizazz Group Limited, Auckland, New Zealand.
M4	7mm	10mm		~ 0	Copyright © Pizazz Group Limited 2021.
.156"	.281"	.375″	M4 Bolt M4 x Ø11 M4 x Ø8	M4	Unauthorised use prohibited.
Add panel thickness to bolt lengths above			Washer Lock Washer H	Hex Nut	oridatiforised use profilbited.